arXiv:cond-mat/0104392v1 [cond-mat.stat-mech] 20 Apr 2001

Anomalous finite-size effect in superconducting Josephson junction arrays

Qing-Hu Chen[1,2], Lei-Han Tang[1,3], and Peiqing Tong[1,4]
[1] *Department of Physics, Hong Kong Baptist University, Kowloon Tong, Hong Kong*
[2] *Department of Physics, Zhejiang University, Hang Zhou 310027, P. R. China*
[3] *Institute for Theoretical Physics, University of California, Santa Barbara, CA 93106*
[4] *Department of Physics, Nanjing Normal University, Nanjing 210097, Jiangsu, P. R. China*
(February 1, 2008)

We report large-scale simulations of the resistively-shunted Josephson junction array in strip geometry. As the strip width increases, the voltage first decreases following the dynamic scaling ansatz proposed by Minnhagen *et al.* [Phys. Rev. Lett. **74**, 3672 (1995)], and then rises towards the asymptotic value predicted by Ambegaokar *et al.* [Phys. Rev. Lett. **40**, 783 (1978)]. The nonmonotonic size-dependence is attributed to shortened life time of free vortices in narrow strips, and points to the danger of single-scale analysis applied to a charge-neutral superfluid state.

74.50.Fg, 05.60.Gg, 67.40.Rp, 75.10.Hk

Dissipation of the supercurrent through superfluid and superconducting films is caused by the flow of free vortices transverse to the current [1–3]. This phenomenon was analyzed in detail by Ambegaokar, Halperin, Nelson, and Siggia (AHNS) [4]. In the context of a uniform superconducting film in zero magnetic field, their theory predicts a power-law current-voltage (I-V) relationship with a temperature-dependent exponent. Despite the relatively simple construct of the theory, its experimental and numerical verification has remained controversial [5–10]. It has been noted that boundary and finite-size effects can dominate the measured voltage drop across the sample at sufficiently low temperatures, making it difficult to achieve an unambiguous comparison between theory and experiments.

An alternative theory of vortex flow dissipation which also yields nonlinear I-V curves in the superconducting state derives from the dynamic scaling hypothesis [11,12]. For superconducting films and Josephson junction arrays (JJA), the two approaches differ in their predictions of the exponent $a(T)$ characterizing the power-law behavior $V \sim I^a$ below the Kosterlitz-Thouless-Berezinskii (KTB) transition temperature $T_{\rm KT}$. According to the AHNS theory,

$$a_{\rm AHNS}(T) = \chi + 1, \tag{1}$$

where $\chi = \pi J_R/k_B T$ and J_R is the renormalized spin-wave stiffness. On the other hand, the dynamic scaling analysis of Minnhagen *et al.* [12] suggests

$$a_{\rm MWJO}(T) = 2\chi - 1. \tag{2}$$

The two expressions coincide at $T_{\rm KT}$ where $\chi = 2$, but the difference grows rapidly as one moves to low temperatures. While there seem to be ample numerical support for the Minnhagen *et al.* scaling [10,12–14], agreement with the AHNS theory has also been reported [8]. To rationalize the two scenarios, Bormann [15] made an interesting suggestion that strong current creates a dense set of vortex-antivortex pairs, thereby invalidating the AHNS treatment. Nevertheless, the AHNS theory should still apply at sufficiently weak currents. This picture has not been borne out by a recent numerical study [10] which shows persistently larger value of a than Eq. (1) predicts.

In this Letter, we present I-V results from large-scale simulations of the resistively shunted Josephson-junction (RSJ) array. A rectangular strip geometry is used to decouple boundary effects introduced by the current leads from finite-size effects arising from vortex/antivortex motion transverse to the current I. The main finding of our work is the existence of three distinct regimes as the strip width L_y is varied. For $L_y < l_{\rm b} \sim I^{-1}$, one is in the linear-response regime where the near-equilibrium dynamic scaling hypothesis applies. In this regime, the voltage V decreases as L_y increases, and reaches a minimum value predicted by Minnhagen *et al.* When L_y exceeds a second length scale $l_{\rm r} \sim I^{-\chi/2}$, V saturates to the asymptotic value predicted by the AHNS theory. The intermediate regime $l_{\rm b} < L_y < l_{\rm r}$ is characterized by a *rising* V as L_y increases. This behavior is explained in terms of "self-recombination" of vortex-antivortex pairs under periodic boundary conditions.

We begin with the model Hamiltonian of a two-dimensional (2D) JJA in zero magnetic field,

$$H = -J \sum_{\langle ij \rangle} \cos(\phi_i - \phi_j). \tag{3}$$

Here ϕ_i denotes the phase of the superconducting order parameter on grain i, and J sets the strength of the Josephson coupling between neighbouring superconducting grains. The summation in Eq. (3) is over all nearest neighbor grain pairs. In the RSJ dynamics, the network is insulated from the substrate, but normal currents are allowed between neighboring grains, in addition to the supercurrent. The dynamics of the phase variables follows the Josephson relations plus the Kirchoff law for current conservation at each node [7],

$$\frac{\sigma\hbar}{2e}\sum_{j\in\text{n.n. of }i}\left(\frac{d\phi_i}{dt}-\frac{d\phi_j}{dt}\right)=-\frac{2e}{\hbar}\frac{\partial H}{\partial\phi_i}+I_{\rm ext}. \qquad (4)$$

Here σ is the conductivity of normal links, and $I_{\rm ext}$ is the external current source which is nonvanishing only at the boundaries of the network. To model the effect of temperature T, a gaussian noise current η_{ij} is added to each link between two adjacent nodes i and j, with $\langle\eta_{ij}(t)\eta_{i'j'}(t')\rangle = 2\sigma k_B T\delta_{ij,i'j'}\delta(t-t')$.

To integrate the coupled equations (4), one needs to first solve for $V_i = (\hbar/2e)d\phi_i/dt$. This can be done efficiently using a pseudo-spectral algorithm. In our simulations, the network is chosen to be a strip of L_x columns, with L_y nodes in each column. Open boundary conditions are used in the x-direction (along the strip) to allow for current inputs and outputs. Periodic boundary conditions (PBC) are used in the y-direction perpendicular to the strip. After performing the Fourier transform in the y-direction, the left-hand-side of Eq. (4) reduces to a tridiagonal form which can be easily solved by the Gauss elimination method. The time stepping is done using a second-order Runge-Kutta method with $\Delta t = 0.1$ (in units of $\sigma\hbar/2eI_c$, where $I_c = 2eJ/\hbar$ is the critical current through each link) [16]. To minimize the boundary effects, voltage drop across the sample is measured in the interior of the network. For the data presented below, we typically choose $L_x = 2048 + 2\times 128$ and discard 128 columns at each end for this purpose.

When the external current I into each boundary node is set to zero, we recover a dynamical version of the XY model whose equilibrium properties have been well characterized. In particular, the KTB transition temperature has been determined to be $T_{\rm KT} \simeq 0.89J/k_B$ [17]. We have confirmed this value in the simulation by examining the correlation function of the superconducting order parameter and the helicity modulus (or J_R), which exhibit universal behavior at the transition. Direct measurement of the I-V curve at this temperature has also confirmed the predicted exponent $a(T_{\rm KT}) = 3$.

We now describe the main results of our simulation. Figures 1(a) and 1(b) present the I-V data at $T = 0.8J/k_B$ and $T = 0.7J/k_B$, respectively, for four different array sizes: $L_y = 8, 32, 128$, and 512. Here the current I is measured in units of I_c, and V, the voltage drop per column, in units of $\hbar/2e$. As the current I decreases, the finite size effect becomes more and more evident. Examining the data at the smallest I shown, we see a clear nonmonotonic size dependence: for small values of L_y, V decreases with increasing L_y. However, this trend is reversed as L_y is increased further. The solid and dashed lines in the figure correspond to the power-law behavior predicted by AHNS [Eq. (1)] and Minnhagen *et al.* [Eq. (2)], respectively, using $\chi = 2.8$ at $T = 0.8J/k_B$ and $\chi = 3.5$ at $T = 0.7J/k_B$. These values of χ are obtained from measurements of the helicity modulus at the respective temperatures, and agree with previous studies [8]. For $T = 0.8J/k_B$, the I-V data at $L_y = 512$ is well-described by the AHNS theory. On the other hand, the envelop of data sets at smaller values of L_y follows the Minnhagen *et al.* formula (2). For $T = 0.7J/k_B$, we are only able to obtain reliable data for $I \geq 0.1I_c$ due to the rapid decrease of V with decreasing I. Nevertheless, better agreement with the AHNS prediction is apparent on the low current side for the $L_y = 512$ array. The larger apparent slope of the data at higher currents may be attributed to the larger value of $J_{\rm eff}$ due to the smaller length scale probed, which yields a higher $\chi_{\rm eff} = \pi J_{\rm eff}/k_B T$.



FIG. 1. Current-voltage curves for arrays of various strip width L_y at two temperatures below $T_{\rm KT}$: (a) $T = 0.8J/k_B$, and (b) $T = 0.7J/k_B$. The value of L_y for each data set is given in the legend box. Also shown are the predicted power-laws by AHNS (solid line) and by Minnhagen *et al.*(dashed line) at each temperature.



FIG. 2. Nonmonotonic finite-size dependence of the voltage on the strip width for three different sets of current and temperature values.

Figure 2 shows three sets of voltage data against transverse array size L_y. Data at $T = 0.8J/k_B$ are represented by open ($I = 0.1I_c$) and solid circles ($I = 0.05I_c$), while the set at $T = 0.7J/k_B$ and $I = 0.1I_c$ are presented by open squares. Statistical error of each data point is smaller or comparable to the symbol size. As I decreases, the size $l_{\rm m}$ where the minimum value $V = V_m$ is reached increases. $l_{\rm m}$ also varies with T, though this dependence may be weak. Since the change of V with L_y is slow in the neighborhood of $l_{\rm m}$, it may give the false impression that the finite-size effect is already saturated at $l_{\rm m}$. As our data shows, the true asymptopic value of V is reached only at much larger values of L_y. At $T = 0.7J/k_B$ and $I = 0.1I_c$, for example, the asymptopic value is larger than V_m by five-fold.

In the remaining part of the paper, we propose an explanation of the unusual finite-size effect, based on the standard picture of creation and annhilation of free vortices under an applied current I [3]. For small I, the supercurrent through the network is maintained by an average phase jump $\Delta\phi = I/I_c$ per column. Passage of a free vortex across the strip (i.e., in the y-direction) decreases the overall phase advance along the strip by an amount 2π. In a steady-state situation, this loss is compensated by a difference in the phase velocities at the two opposing ends of the strip, and hence a voltage drop across the system. Simple counting then yields the following expression for the average voltage drop per column in a strip of length $L_x \gg 1$ (see, e.g. Ref. [8]),

$$V = \frac{2\pi}{L_x L_y}\big(N_+\bar{v}_+ - N_-\bar{v}_-\big). \tag{5}$$

Here $N_\pm$ are the number of $\pm$ vortices in the system, and $\overline{v}_\pm$ are their respective mean velocities in the y-direction. Although Eq. (5) does not discriminate between bound and free vortices, it is clear that correlated drift of a vortex-antivortex pair does not contribute to V.

In the AHNS theory, the energy of a vortex/antivortex pair of size R and oriented perpendicular to the external current is given by,

$$E(R) = 2E_c + 2\pi J\Big(\ln R - \frac{I}{I_c}R\Big), \tag{6}$$

where E_c is the core energy of a single vortex. Equation (6) has a maximum $E = E_B = 2E_c + 2\pi J\ln(I_c/I) - 2\pi J$ at $R = l_{\rm b} = I_c/I$. This is the activation energy for pair breaking. The rate for such processes follows the Arrhenius law,

$$\Gamma \sim e^{-E_B/k_BT} \simeq (I/I_c)^{2\chi}. \tag{7}$$

In the second step of the argument, one writes down a mean-field rate equation governing the density $\rho = \rho_\pm$ of free vortices,

$$\dot{\rho} = \Gamma - \gamma\rho^2, \tag{8}$$

where γ is the diffusion constant. The steady-state vortex density is then given by $\rho_\infty = (\Gamma/\gamma)^{1/2}$. Going back to Eq. (5), one finds

$$V_\infty \sim \rho_\infty\bar{v}_\pm \sim I^{\chi+1}, \tag{9}$$

where we have assumed the drift velocity $\bar{v}_\pm$ of a free vortex to be proportional to I.

In the RSJ dynamics, the spin-waves have a wavelength-independent relaxation time, of the order of the basic time unit $\sigma\hbar/2eI_c$. Hence the equilibrium interaction between vortices in (6) is un-retarded in the dynamic case. Equation (8), on the other hand, is based on the assumption that there is no spatial correlation between vortices and antivortices. It turns out that this assumption is violated when the width of the strip is less than a certain characteristic size $l_{\rm r} = \rho_\infty^{-1/2} \sim (I_c/I)^{\chi/2}$. In a bulk system, there is typically one free vortex/antivortex pair in an area of linear size $l_{\rm r}$ at any given time. This is no longer the case when $L_y < l_{\rm r}$. Under periodic boundary conditions in the y-direction, a vortex may annhilate with an antivortex created from the same bound pair. Consequently, the life time of the two are shortened, giving rise to a spurious lower voltage as seen in Fig. 2.

To obtain a semi-quantitative estimate of the voltage reduction, let us consider a simplified model of vortex-antivortex recombination. In a coarse-grained description, we take $l_{\rm b}$ to be the basic unit of length. The time for a single vortex to traverse the width of the strip is $\tau = L_y/\bar{v}_\pm = L_y l_{\rm b}$. During this period, the typical displacement of the vortex in the x-direction is $l = \tau^{1/2}$. The probability for the vortex to be within a distance $l_{\rm b}$ from its initial position after one round is thus $p_1 = l_{\rm b}/l = (l_{\rm b}/L_y)^{1/2}$. This is the probability for a vortex-antivortex pair to recombine in one round across the strip. Assuming $p_1 \ll 1$, the probability for this to happen in two rounds is $p_2 \simeq (l_{\rm b}/2L_y)^{1/2}$. In general, $p_n \simeq p_1 n^{-1/2}$ provided $p_1 n^{1/2} < 1$. The survival probability after n rounds is $1 - \sum_{i=1}^n p_i \simeq 1 - p_1 n^{1/2}$. This yields a self-recombination time,

$$\tau_s \simeq p_1^{-2}\tau = L_y^2. \tag{10}$$

The density of free vortices in this case is $\rho_s \simeq \Gamma\tau_s \sim L_y^2(I/I_c)^{2\chi}$. From Eq. (5) we obtain,

$$V_{\rm s} \sim \rho_s\bar{v}_\pm \sim L_y^2(I/I_c)^{2\chi+1}, \tag{11}$$

which increases with increasing L_y.

The typical displacement of the vortex in the x-direction over τ_s is $\tau_s^{1/2} = L_y$. To preempt self-recombination, we need $\Gamma L_y^2\tau_s \geq 1$, i.e., creation of the second vortex/antivortex pair in the same region in space within the time τ_s. This yields $L_y = (I_c/I)^{\chi/2} = l_{\rm r}$!

Therefore Eq. (11) applies in the intermediate regime $l_{\rm b} \ll L_y \ll l_{\rm r}$.

The situation is somewhat different when $L_y < l_{\rm b}$. In this case, the pair-breaking interaction in (6) due to the external current is always weaker than the vortex-antivortex attraction and hence can be treated as a perturbation. The I-V curves can in principle be calculated in a linear response theory [18]. Qualitatively, though, we may estimate the finite-size effect from the equilibrium relaxation time of a vortex-antivortex pair on scale L_y,

$$\tau_{\rm eq} \simeq L_y^z, \tag{12}$$

where $z = 2\chi - 2$ is the dynamic exponent. We now divide the strip into square segments of L_y columns each. The rate of creating a vortex-antivortex pair of size L_y in such a segment is $\tau_{\rm eq}^{-1}$. In thermal equilibrium, the vortex/antivortex may drift in either direction around the strip and recombine to generate a $\pm 2\pi$ phase jump. This symmetry is broken by the external current which enhances the -2π jump (along the current direction) by a factor equal to the ratio between the energy difference of the two possibilities and $k_B T$. This leads to the estimate,

$$V_{\rm Ohm} \sim \frac{1}{\tau_{\rm eq} L_y} \Big(\frac{I J L_y}{I_c k_B T} \Big) \sim (I/I_c) L_y^{-z}. \tag{13}$$

In the Ohmic regime, V decreases rapidly with increasing L_y, as seen in Fig. 2.

At $L_y = l_{\rm b}$, the two expressions (11) and (13) coincide to give the minimum value $V_m = (I/I_c)^{1+z}$. This is indeed the power-law form obtained by Minnhagen *et al.* by assuming $l_{\rm b}$ as the only relevant length scale.

A direct consequence of the self-recombination picture proposed above is the intermittent phase difference jumps across a square array of size less than $l_{\rm r}$. In the steady state, the phase difference $\Delta\phi$ across the system, averaged in the direction perpendicular to the current, is expected to grow linearly with time. However, if there is only at most one pair of free vortex/antivortex present in the system at any given time, the growth of $\Delta\phi$ is intermittent. This is indeed the case for $L_y < l_{\rm r}$, where the life time of a free vortex/antivortex pair is less than the time it takes to create the pair. The step-wise growth of $\Delta\phi$ has been observed in a previous numerical study using a square array [8] which we have confirmed. A similar phenomenon occurs in the $L_y < l_{\rm b}$ regime, although in this case there are occasionally reverse steps. For a long strip, however, $\Delta\phi$ is a much smoother function of time due to averaging along the strip.

In summary, extensive simulations of the Josephson junction array in strip geometry reveal the existence of three size regimes with distinct current-voltage relationships. Arrays of size less than $l_{\rm b} \sim I^{-1}$ are in the Ohmic regime and obey dynamic scaling as proposed by Minnhagen *et al.* Between $l_{\rm b}$ and a second scale $l_{\rm r} \sim I^{-\chi/2}$, a reversed size-effect is observed. The power-law I-V dependence of AHNS is shown to hold in the asymptotic regime. Our study reconciles a long-standing dispute between two theoretical approaches, and provides a framework for systematic analysis of finite-size effects in 2D superfluid and superconducting systems with equal number of vortices and antivortices.

This work is supported by the Research Grant Council (RGC) of the Hong Kong SAR under grant HKBU2061, by the Hong Kong Baptist University under grant FRG/98-99/II-74, and by the National Science Foundation under Grant No. PHY99-07949. One of us (QHC) is supported in part by the National Nature Science Foundation of China under Grant No. 10075039.

[1] R. Feynman, in *Progress in Low Temperature Physics*, edited by C. Gorter (North-Holland, Amsterdam, 1955), Vol. 1.

[2] J. M. Kosterlitz and D. J. Thouless, J. Phys. C **6** (1973) 1181; J. M. Kosterlitz, J. Phys. C **7** (1974) 1046; V. L. Berezinskii, Zh. Eksp. Teor. Fiz. **61** (1971) 1144 [Sov. Phys. JETP **34** (1972) 610].

[3] For a recent review, see G. Blatter, M. V. Feigel'man, V. B. Geshkenbein, A. I. Larkin, and V. M. Vinokur, Rev. Mod. Phys. **66**, 1125 (1994).

[4] V. Ambegaokar, H. Halperin, D. Nelson and E. Siggia, Phys. Rev. Lett. **40** 783 (1978); Phys. Rev. B **21**, 1806 (1980).

[5] J. M. Repaci, C. Kwon, Q. Li, X. Jiang, T. Venkatessan, R. E. Glover, C. J. Lobb, and R.S. Newrock, Phys. Rev. B **54**, R9674 (1996).

[6] S. T. Herbert, Y. Jun, R. S. Newrock, C. J. Lobb, K. Ravindran, H.-K. Shin, D. B. Mast, and S. Elhamri, Phys. Rev. B **57**, 1154 (1998).

[7] K. K. Mon and S. Teitel, Phys. Rev. Lett. **62**, 673 (1989).

[8] M. V. Simkin and J. M. Kosterlitz, Phys. Rev. B **55**, 11646 (1997).

[9] Ing-Jye Hwang and D. Stroud, Phys. Rev. B **57** 6036 (1998).

[10] B. J. Kim, P. Minnhagen and P. Olsson, Phys. Rev. B **59**, 11506 (1999); B. J. Kim, Phys. Rev. B **63**, 24503 (2001).

[11] D. S. Fisher, M. P. A. Fisher, and D. A. Huse, Phys. Rev. B **43**, 130 (1991).

[12] P. Minnhagen, O. Westman, A. Jonsson, and P. Olsson, Phys. Rev. Lett. **74**, 3672 (1995).

[13] H. Weber, M. Wallin, and H. Jensen, Phys. Rev. B **53**, 8566 (1996).

[14] M. Y. Choi, G. S. Jeon, and M. Yoon, Phys. Rev. B **62**, 5357 (2000).

[15] D. Bormann, Phys. Rev. Lett. **78**, 4324 (1997).

[16] A. L. Scheinine, Phys. Rev. B **39**, 9368 (1989).

[17] P. Olsson, Phys. Rev. Lett. **73**, 3339 (1994).

[18] P. Minnhagen, Rev. Mod. Phys. **59**, 1001 (1987), and references therein.